



Magswitch Technology, Inc.  
 8774 Yates Dr. Suite 140  
 Westminster, CO 80031  
 Magswitch.com.au  
 303-468-0662

# Magswitch 18" Universal Track


## P/N: 8110132

The Magswitch 36 and 18" Universal Track are used with the Magswitch Workholding system. Bring your T-Track accessories and jigs out of the miter slots! Designed for use with the Magswitch Universal Base and MagJigs (sold separately). Make your own Jigs, Fixtures, Stops, Fences, Zero Clearance Fences and more! Mounts to miter gauges and most miter saws for extended fences too! Accepts all standard clamps, all standard t-bolts and all 5/16" hex. Add clamps to the underside slots to ensure no obstacles when sawing or marking.

**WARNING!**  
**Do Not Operate Unless In Contact With Ferrous Target**



SPECIFICATIONS	
P/N: 8110132 - MAGSWITCH 18" Universal Track	
Compatibility	Magswitch Universal Base, MagJigs
Overall Height	104 mm



**WORKING SURFACE**



Part Number 110692  
 Revision Date: June 26, 2012

\* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.



Part Number 110692  
 Revision Date: June 26, 2012

\* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

