



Magswitch Technology, Inc.
1335 Horizon Ave
Lafayette, CO 80026
Magswitch.com.au
303-468-0662


Magswitch 400 Fixed Manual Hand Lifter

P/N: 8100810

The Magswitch fixed manual hand lifter series allows for safe and convenient lifting. With an ergonomic fixed handle, the 400 hand lifter features a single 90° side-actuation lever with a locking mechanism that prevents accidental release. It is perfect for handling sharp or dirty steel or scrap. It can be used for dragging or handling small steel sheet.



WARNING!
Do Not Operate Unless In
Contact With Ferrous Target



WORKING SURFACE

SPECIFICATIONS


P/N: 8100810 - MAGSWITCH 400 FIXED MANUAL HAND LIFTER

Max Breakaway*	390 lbs/177 kg
Full Saturation Thickness	3/8in / 9.5mm
Net Weight	2.4 lbs/1.1 kg
Overall Height	5.0in/127.0mm
Magnetic Pole Footprint	67mm x 42 mm

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

Part Number 1101132
Revision Date: March 24, 2015

Magswitch 8100810 Breakaway Data vs. Thickness



Part Number 1101132
Revision Date: March 24, 2015

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.



Part Number 1101132
Revision Date: March 24, 2015

